Outlandish

REPRESENTANTE
EXCLUSIVO
EN ARGENTINA

Lenco

PRODUCT GUIDE

Contacto Ventas : Villamil, Juan Maria
Mail: Juan.villamil@outlandish.com.ar
Celular:+54 9 11 38167885

Outlandish

DARE TO

CHALLENGE

Established July 17, 2003, Xiamen Lenco Co., ltd covers a total area of more than 50,000 square meters and occupies an original registered capital of 10 million dollars. Lenco is a worldwide brand who are agents to popular brands such as Primo, Profile Design, Titec, Bellwether, etc.

We are the world's largest RD base and manufacturer for medical polyurethane and foam filled tires. We have passed the ISO9001: 2008 certification, which allows us to provide our customers with not only highly competitive products but good service and efficiency. Thus making our products widely accepted worldwide, as well, as becoming a top supplier for wheelchair manufacturers.

Lenco owns many global famous brands and IIPR (independent Intellectual Property Rights). Thanks to our continuous innovation of products and design strategy, our product remains at a low cost while maintaining a high quality level. This makes us a strong candidate within our enterprise competitors.

Our main products of development are:
Polyurethane (PU) tires and foam filled tires
Wheels, rims, flat free tires, and maintenance- free tires
Plastic aluminum and steel parts for medical appliances
Assemblage of high- end wheelchair and bicycle wheels/rims
Extrusion and manufacturing of aluminum and magnesium alloys.

Our customers range from all over the world. However most of our main markets are located within China, USA, and Europe. These specific markets include, PERMOBIL (Sweden), PRIDE (USA), SUNRISE (USA), INVACARE (USA/UK/GERMANY/CHINA), BUGABOO (Netherlands/China), KI MOBILITY (USA), Good Baby (China), etc.

"Honest service", "Continuous innovation", "Guaranteed quality", "Sincere collaboration", and "Selfless sharing" are our key ideals that we try to pursue. So that we may provide our customers with high- quality safe products, as well as reliable service.

Outlandish

REPRESENTANTE
EXCLUSIVO
EN ARGENTINA

Tires / Tubes / Inserts	4
Wheels	24
Caster Wheels	30
Hubs	38
Accessories	42

Outlandish

TIRES/TUBES/INSERTS

C179G PRIMO SPIRIT

TIRE	COLOR	PSI	TT/TL	ITEM#
6X1 1/4	GY	36	TT	Z625793
7X1 3/4 CS	GY	36	TT	Z731793
8X1 1/4	GY	36	TT	Z825793
200X50 (8X2)	GY	35	TT	Z255793
2.50-3 CS	GY	36	TT	Z321793
2.80/2.50-4	GY	35	TT	Z427783
3.00-4 (10X3)	GY	35	TT	Z135793

C9210 PRIMO DUROTRAP

TIRE	COLOR	PSI	TT/TL	ITEM#
200X50 (8X2)	GY	35	TT	Z259213
2.80/2.50-4	GY	35	TT	Z429213F
2.80/2.50-4	GY	35	TT	Z429216R
3.00-4 (10X3)	GY	35	TT	Z132103
2.50-8	GY	35	TT	Z822103
3.00-8	GY	35	TT	Z832103
3.00-10	GY	35	TT	Z312103

C968G PRIMO REBEL

TIRE	COLOR	PSI	TT/TL	ITEM#
200X50 (8X2)	GY	50	TT	Z259683

C628G PRIMO POWER EXPRESS

TIRE	COLOR	PSI	TT/TL	ITEM#
12 1/2X 2 1/4 HD	GY	40	TT	Z122063
12 1/2X 2 1/4 HD	BK	40	TT	Z122063-3
14X2.125 HD	GY	35	TT	Z146283

C1217 PRIMO POWER GRIP

TIRE	COLOR	PSI	TT/TL	ITEM#
12 1/2X 2 1/4 HD	GY	40	TT	Z122173
3.00- 8	GY	50	TT	Z832173

C51

TIRE	COLOR	PSI	TT/TL	ITEM#
12 1/2X2 1/4 CS	GY	40	TT	Z122513

C623

TIRE	COLOR	PSI	TT/TL	ITEM#
12 1/2X 2 1/4	GY	36	TT	Z126233

C713 POWER LUG

TIRE	COLOR	PSI	TT/TL	ITEM#
16X2.125 HD	GY	35	TT	Z625713
20X2.125 (57-406) CS	GY	35	TT	Z227133

C178G PRIMO POWER EDGE

TIRE	COLOR	PSI	TT/TL	ITEM#
2.80/2.50-4	GY	35	TT	Z425783

C203G PRIMO GRANDE

TIRE	COLOR	PSI	TT/TL	ITEM#
9X3.50-4	GY	50	TT	Z495033

C248G PRIMO POWER TRAX

TIRE	COLOR	PSI	TT/TL	ITEM#
3.00-4 (10X3)	GY	35	TT	Z135483
3.00-8	GY	35	TT	Z835483

C920G PRIMO POWERPLAY

TIRE	COLOR	PSI	TT/TL	ITEM#
3.00-4 (10X3)	GY	35	TT	Z139203

C9235 PRIMO HOMER

TIRE	COLOR	PSI	TT/TL	ITEM#
4.10/3.50-4	GY	50	TT	Z442353
4.10/3.50-5	GY	35	TT	Z542353
4.10/3.50-6	GY	35	TT	Z642353

C189

TIRE	COLOR	PSI	TT/TL	ITEM#
4.10/3.50-4	GY	50	TT	Z443183

C156G PRIMO NIMBLE

TIRE	COLOR	PSI	TT/TL	ITEM#
4.10/3.50-4 CS	GY	50	TT	Z443563
4.10/3.50-5	GY	50	TT	Z545563
4.10/3.50-6	GY	50	TT	Z645563

C-154G PRIMO DIAMOND

TIRE	COLOR	PSI	TT/TL	ITEM#
4.00-5	GY	50	TT	Z545543

C9236 PRIMO BAJA

TIRE	COLOR	PSI	TT/TL	ITEM#
4.10/3.50-5	GY	50	TT	Z542363
4.10/3.50-6	GY	50	TT	Z642363

C9261

TIRE	COLOR	PSI	TT/TL	ITEM#
3.00-6 CS	GY	50	TT	Z639263
3.00- 8 CS	GY	50	TT	Z839263

C166

TIRE	COLOR	PSI	TT/TL	ITEM#
4.00-6	GY	50	TT	Z641663

C-168G PRIMO ABILITY

TIRE	COLOR	PSI	TT/TL	ITEM#
4.10/3.50-6(CENTER RIDGE C168G)	GY	35	TT	Z645163
4.10/3.50-6(CENTER KNOBBY C168G1)	GY	35	TT	Z645683
3.50-8 (CENTER KNOBBY C168 CS)	GY	36	TT	Z831681
4.00-8 (CENTER KNOBBY C168G)	GY	35	TT	Z845683

C177G PRIMO POWER PLANT

TIRE	COLOR	PSI	TT/TL	ITEM#
2.50-8	GY	36	TT	Z821771

C917G PRIMO ACCESS

TIRE	COLOR	PSI	TT/TL	ITEM#
3.00-8	GY	28	TT	Z835173

C131

TIRE	COLOR	PSI	TT/TL	ITEM#
3.00-10 CS	GY	36	TT	Z101313

C1836 PRIMO SENTINEL

TIRE	COLOR	PSI	TT/TL	ITEM#
20X1 (25-451)	NMB	100	TT	Z205363
22X1 (25-489)	NMB	100	TT	Z225364
22X1 (25-501)	NMB	100	TT	Z225363
24X1 (25-540)	NMB	100	TT	Z245363
25X1 (25-559)	NMB	100	TT	Z255363
26X1 (25-590)	NMB	100	TT	Z265363

C1025 PRIMO V-TRAK

TIRE	COLOR	PSI	TT/TL	ITEM#
22X1 (25-501)	GY	110	TT	Z220258
24X1 (25-540)	GY	110	TT	Z240258
24X1 (25-540) BREAK + AL	GY	110	TT	Z240558
26X1 (25-590)	GY	110	TT	Z260258
26X1 (25-590) BREAK + AL	GY	110	TT	Z260558
24X1 (25-540)	ORANGE	110	TT	Z240558-2
26X1 (25-590)	ORANGE	110	TT	Z260558-2
24X1 (25-540)	BLUE	110	TT	Z240558-5
26X1 (25-590)	BLUE	110	TT	Z260558-5
24X1 (25-540)	RED	110	TT	Z240558-6
26X1 (25-590)	RED	110	TT	Z260558-6

C63G PRIMO ORION

TIRE	COLOR	PSI	TT/TL	ITEM#
22X1 3/8 (37-489) CS	GY	75	TT	Z221633
24X1 3/8 (37-540)	GY	75	TT	Z245633

C86

TIRE	COLOR	PSI	TT/TL	ITEM#
22X1 3/8 (37-501) CS	GY	65	TT	Z221863

C62

TIRE	COLOR	PSI	TT/TL	ITEM#
20X1 3/8 (37-451) CS	GY	65	TT	Z201623

C1157G PRIMO COURT

TIRE	COLOR	PSI	TT/TL	ITEM#
24X1 (25-540)	GY/DSK	80	TT	Z240578

C-1195G PRIMO PASSAGE

TIRE	COLOR	PSI	TT/TL	ITEM#
24X1 (25-540)	GY/DSK	100	TT	Z240958

C-763

TIRE	COLOR	PSI	TT/TL	ITEM#
24X1 3/8 (37-540) CS	GY/DSK	65	TT	Z241768

C-1191 PRIMO SILVER BULLET

TIRE	COLOR	PSI	TT/TL	ITEM#
26X1 (25-559)	GY/DSK	100	TT	Z261913

C-245N

TIRE	COLOR	PSI	TT/TL	ITEM#
24X1 3/8 (37-540) CS	GY	65	TT	Z241243
26X1 3/8 (37-590) CS	GY	65	TT	Z261243

C-1083 PRIMO RACER

TIRE	COLOR	PSI	TT/TL	ITEM#
20-559	GY/DSK	110	TT	Z260838
20-559 BREAK + AL	GY/DSK	110	TT	Z265838
20-559	ORANGE	110	TT	Z265838-2
20-559	BLUE	110	TT	Z265838-5
20-559	RED	110	TT	Z265838-6

C97 PRIMO CROSS TRAK

TIRE	PSI	COLOR	TT/TL	ITEM#
16X1.75	35	GREY	TT	Z161973

C1081G - PRIMO SPORT

TIRE	PSI	COLOR	TT/TL	ITEM#
24X1 3/8 (37-540)	90	GY/DSK	TT	Z240818

C197

TIRE	PSI	COLOR	TT/TL	ITEM#
20X1.75	50	GREY	TT	Z201972
20X1.75	50	GY/SK	TT	Z201973

C1011 - PRIMO ALL TERRIAN

TIRE	PSI	COLOR	TT/TL	ITEM#
24X1 3/8	65	GREY	TT	Z240113

C1090 - PRIMO CHAMPION

TIRE	PSI	COLOR	TT/TL	ITEM#
16X1(19-349)	NA	BK/TN	TT	Z161093
18X1(19-400)	120	BK/TN	TT	Z181093
18X1(19-400)	110	BK/DSK	TT	Z181098
20X1(19-451)	120	BK/DSK	TT	Z201093
700X19(19-622)	110	BK/DSK	TT	Z701093
700X19(19-622)	NA	GY/DSK	TT	Z701098

C1034 PRIMO VANTAGE

TIRE	PSI	COLOR	TT/TL	ITEM#
24X1 3/8	90	GREY	TT	Z240343
26X1 3/8	NA	GREY	TT	Z260343

C9267 - PRIMO DUROTRAP

TIRE	PSI	COLOR	TT/TL	ITEM#
8X2.50	Z825673	GY	TT	Z825673

C161

TIRE	PSI	COLOR	TT/TL	ITEM#
4.00-8	36	GREY	TT	Z841613

C131



TIRE	BEAD A	COLOR	ITEM#
3.00-10	55MM	GREY	AF100013155

C154G PRIMO DIAMOND



TIRE	BEAD A	COLOR	ITEM#
4.00-5	63MM	GREY	AF050015465

C156G PRIMO NIMBLE



TIRE	BEAD A	COLOR	ITEM#
4.10/3.50-5	70MM	GREY	AF051015672
4.10/3.50-6	88MM	GREY	AF061015690

C166



TIRE	BEAD A	COLOR	ITEM#
4.00-6	85MM	GREY	AF060016687

C168G PRIMO ABILITY



TIRE	BEAD A	COLOR	ITEM#
4.10/3.50-6(CENTER RIDGE)	82MM	GREY	AF061016884
4.00-8 (CENTER KNOBBY)	58MM	GREY	AF082016860

C178G PRIMO POWER EDGE



TIRE	BEAD A	COLOR	ITEM#
2.80/2.50-4	58MM	GREY	AF040017860
2.80/2.50-4	68MM	GREY	AF040017870

C177G PRIMO POWER PLANT



TIRE	BEAD A	COLOR	ITEM#
2.50-8	48MM	GREY	AF080017750

C179G PRIMO SPIRIT



TIRE	BEAD A	COLOR	ITEM#
200X50 (8X2)	31MM	GREY	AF021017932
2.80/2.50-4	68MM	GREY	AF040017970
10X3 (3.00-4)	68MM	GREY	AF042017970

C203G PRIMO GRANDE



TIRE	BEAD A	COLOR	ITEM#
9X3.50-4	56MM	GREY	AF040120358

C248G PRIMO POWERTRAX



TIRE	BEAD A	COLOR	ITEM#
10X3(3.00-4)	68MM	GREY	AF042024870
3.00-8	37MM	GREY	AF081024839
3.00-8	51MM	GREY	AF081024853

C628G PRIMO POWER EXPRESS



TIRE	BEAD A	COLOR	ITEM#
12 1/2X2 1/4	46MM	GREY	AF083062848

C917G PRIMO ACCESS



TIRE	BEAD A	COLOR	ITEM#
3.00-8	53MM	GREY	AF081091755

C920G PRIMO POWER PLAY



TIRE	BEAD A	COLOR	ITEM#
10X3 (3.00-4)	54MM	GREY	AF042092056H
10X3 (3.00-4)	63MM	GREY	AF042092065

C9210 DURO TRAP



TIRE	BEAD A	COLOR	ITEM#
200X50	37MM	GREY	AF021921038
2.80/2.50-4	63MM	GREY	AF040921065
3.00- 4 (10X3)	68MM	GREY	AF042921070
2.50-8	48MM	GREY	AF080921050
3.00-8	55MM	GREY	AF081921057

C9236



TIRE	BEAD A	COLOR	ITEM#
4.10/3.50-6	82MM	GREY	AF061923684

C968G PRIMO REBEL



TIRE	BEAD A	COLOR	ITEM#
200X50 (8X2)	37MM	GREY	AF021096838

P100



TIRE	BEAD A	COLOR	ITEM#
20X1 3/8(37-451) WITHOUT CORD	19.8MM	BLACK	7720002-3
22X1 3/8 WITHOUT CORD	20MM	BLACK	7722003-3
24X1 CORD	20MM	BLACK	7724003-3

P154



TIRE	BEAD A	COLOR	ITEM#
20X1(25-451) CORDED	20MM	BLACK	7720005-3
22X1(25-489) CORDED	20MM	BLACK	7722007-3
24X1(25-540) CORDED	20MM	BLACK	7724010-3
25X1(25-559) CORDED	20MM	BLACK	7725001-3
26X1(25-590) CORDED	20MM	BLACK	7726003-3

P163



TIRE	BEAD A	COLOR	ITEM#
22X1 3/8(37-501) CORDED	19.8MM	GREY	7722004-1
24X1 3/8(37-540) CORDED	19.8MM	BLACK	7724007-3

C173



TIRE	BEAD A	COLOR	ITEM#
20X1 3/8(37-451) CORDED	19.8MM	BLACK	7720001-3
22X1 3/8(37-501) CORDED	19.8MM	BLACK	7722001-3
24X1 3/8(37-540) CORDED	19.8MM	BLACK	7724004-3

ROUND

SPECIFICATION	SECTION SHAPE	COLOR	ITME #
12 1/2X2 1/4	ROUND SHAPE	BLACK	IS6220303
16X1.75	ROUND SHAPE	BLACK	IS4730501
18X1.75	ROUND SHAPE	BLACK	IS4735501
20X1 3/8	ROUND SHAPE	BLACK	IS3745101
20X2 1/8	ROUND SHAPE	BLACK	IS5740601
22X1 3/8 (37-501)	ROUND SHAPE	BLACK	IS3750101
24X1 3/8	ROUND SHAPE	BLACK	IS3754001
24X2 1/8	ROUND SHAPE	BLACK	IS5750701



WATER DROP

SPECIFICATION	SECTION SHAPE	COLOR	ITME #
12 1/2X2 1/4	WATER DROP SHAPE	BLACK	IS6220305
14X2.125	WATER DROP SHAPE	BLACK	IS6220306
16X1.75	WATER DROP SHAPE	BLACK	IS4730502
18X1.75	WATER DROP SHAPE	BLACK	IS4735502
20X1 3/8	WATER DROP SHAPE	BLACK	IS3745102
20X1.75	WATER DROP SHAPE	BLACK	IS4740601
22X1 3/8	WATER DROP SHAPE	BLACK	IS3750102
24X1 3/8(37-540)	WATER DROP SHAPE	BLACK	IS3754003
26X1	WATER DROP SHAPE	BLACK	IS2055901
26X1 3/8	WATER DROP SHAPE	BLACK	IS3759001

RIDGE

SPECIFICATION	SECTION SHAPE	COLOR	ITME #
12 1/2X2 1/4	RIDGE SHAPE	BLACK	IS6220304
22X1	RIDGE SHAPE	BLACK	IS2548901
24X1	RIDGE SHAPE	BLACK	IS2554001

DESCRIPTION	ITME #
TUBE 12 1/2X2 1/4 (62-203) SV PRIMO WC	BZ122515
TUBE 12 1/2X2 1/4 (62-203) WH767 A90 PRIMO WC	BZ122516
TUBE 12 1/2X2 1/4 (62-203) 90D TR87 PRIMO WC	BZ122518
TUBE 12 1/2X2 1/4 (62-203) SV TP PRIMO WC	BZ122519
TUBE 14X2.125 SV PRIMO WC	BZ147135
TUBE 14X2.125 SV TP PRIMO WC	BZ147139
TUBE 16X1.50/1.75 SV PRIMO WC 40/47-305	BZ161975
TUBE 16X1.50/1.75 SV TP PRIMO WC 40/47-305	BZ161979
TUBE 16X2.125 SV PRIMO WC	BZ627135
TUBE 18X1 3/8 (37-400) SV PRIMO WC	BZ181625
TUBE 18X1.90/2.125 SV PRIMO WC 51/57-355	BZ187135
TUBE 20X1 3/8 SV PRIMO WC 37-451	BZ201625
TUBE 20X1 3/8 SV TP PRIMO WC 37-451	BZ201629
TUBE 20X1.50/1.75 SV PRIMO WC 40/47-406	BZ201975
TUBE 20X1.90/2.125 SV PRIMO WC 51/57-406	BZ227135
TUBE 20X1.90/2.125 SV TP PRIMO WC 51/57-406	BZ227139
TUBE 22X1 (25-501) FV PRIMO WC	BZ220255
TUBE 22X1 (25-501) SV PRIMO WC	BZ220256
TUBE 22X1 3/8 (37-501) SV PRIMO WC	BZ221865
TUBE 22X1 3/8 (37-501) SV TP PRIMO WC	BZ221869
TUBE 24X1 (25-540) FV PRIMO WC	BZ240255
TUBE 24X1 (25-540) SV PRIMO WC	BZ240256
TUBE 24X1 3/8 (37-540) SV PRIMO WC	BZ241635
TUBE 24X1 3/8 (37-540) SV TP PRIMO WC	BZ241639
TUBE 24X1.50/1.75 (40/47-507) SV PRIMO WC	BZ245905
TUBE 24X1.90/2.125 (37-540) SV PRIMO WC	BZ247125
TUBE 200X50 (8X2) WH767 A90	BZ251797
TUBE 200X50 (8X2) WH767 A30	BZ251798
TUBE 20X1 (19-451) SV	BZ201095
TUBE 2.50-3 WH767	BZ321795
TUBE 3.00-10 TR87	BZ101315

DESCRIPTION	ITME #
TUBE 26X1 (25-590) FV PRIMO WC	BZ260255
TUBE 26X1 (25-590) SV PRIMO WC	BZ260256
TUBE 25X1 (25-559) SV PRIMO WC	BZ260325
TUBE 26X1- 1.25 (20-559) SV PRIMO WC	BZ260326
TUBE 26X1 1/4-1 3/8 (32/37-590) SV PRIMO WC	BZ261245
TUBE 26X1 1/4-1 3/8 (32/37-590) SV TP PRIMO WC	BZ261249
TUBE 26X1.90/2.125 SV PRIMO WC	BZ269090
TUBE 26X1.75 SV PRIMO WC	BZ269095
TUBE 26X1.75 FV PRIMO WC	BZ269098
TUBE 200X50 (8X2) WH767P ND32 A45 PRIMO WC	BZ251795
TUBE 200X50 (8X2) TR87 A90 PRIMO WC	BZ251796
TUBE 200X50 (8X2) TR87 TP PRIMO WC	BZ251799
TUBE 2.80/2.50-4 TR87 PRIMO WC	BZ421785
TUBE 2.80/2.50-4 JS87 A90 PRIMO WC	BZ421786
TUBE 2.80/2.50-4 JS87P A0 PRIMO WC	BZ421787
TUBE 3.00-4 (10X3) TR87 PRIMO WC	BZ131795
TUBE 3.00-4 (10X3) JS87P PRIMO WC	BZ131796
TUBE 4.10/3.50-4 TR87 PRIMO WC	BZ443185
TUBE 9X3.50-4 TR87 PRIMO WC	BZ492035
TUBE 4.00-5 TR87 PRIMO WC	BZ541545
TUBE 4.10/3.50-5 TR87 PRIMO WC	BZ543155
TUBE 11X4.00-5 TR87 PRIMO WC	BZ547375
TUBE 6X1 1/4 WH767P PRIMO WC	BZ621795
TUBE 7X1 3/4 WH767P PRIMO WC	BZ731795
TUBE 13X6.50-6 TR87	BZ607695
TUBE 4.00-6 TR87 PRIMO WC	BZ641665
TUBE 4.10/3.50-6 TR87 PRIMO WC	BZ643165
TUBE 4.10/3.50-6 TR13 PRIMO WC	BZ643166
TUBE 8X1 1/4 WH767P ND32 PRIMO WC	BZ821795
TUBE 8X1 1/4 SV PRIMO WC	BZ821797
TUBE 8X1 1/4 WH767P ND32 TP PRIMO WC	BZ821799
TUBE 8X1 1/4 SV TP PRIMO WC	BZ822799
TUBE 8X1 3/4 DIN7777 A90 PRIMO WC	BZ837375
TUBE 8X1 3/4 WH797P A45 TP PRIMO WC	BZ837379
TUBE 2.50-8 TR87 PRIMO WC	BZ821775
TUBE 3.00-8 TR87 PRIMO WC	BZ832925
TUBE 4.80/4.00-8 TR87 PRIMO WC	BZ841686
TUBE 4.00-8 TR13 PRIMO WC	BZ841687
TUBE 3.00-10 TR13 PRIMO WC	BZ101316

SV

SV 40MM

SV 48MM

FV

FV 33MM

FV 39MM

FV 48MM

FV 60MM

FV 80MM

TR13

TR87

JS87

JS87C

JS87P

DIN327777

DIN45

WH767

WH767P

MICRO-MAG

WHEELS

PR1MO AW-100

TIRE:9*3.50-4 C203G GRAY PRIMO GRANDE
RIM:ALLOY RIM A401
*Exact Parts assembly are subject to Clients' choice.

PR1MO AW-200

TIRE:3.00-4 C9210 GRAY PRIMO DUROTRAP
RIM:ALLOY RIM A402
*Exact Parts assembly are subject to Clients' choice.

PR1MO AW-300

TIRE:3.00-8 C248G GRAY PRIMO POWERTRAX
RIM:ALLOY RIM A83PR
*Exact Parts assembly are subject to Clients' choice.

PR1MO AW-400

TIRE:12 1/2*2 1/4 C628G GRAY FF PRIMO EXPRESS
RIM:ALLOY RIM A86PM
*Exact Parts assembly are subject to Clients' choice.

PR1MO AW-500

TIRE:3.00-8 C9210 GRAY FF.PRIMO EXPRESS
RIM:ALLOY RIM A87PM
*Exact Parts assembly are subject to Clients' choice.

PR1MO PW-100

PATTERN:P142
SIZE (INCH/MM): 12.5"X1.25"/305X41MM
B-B (MM): 48MM ADJUSTABLE
BEARING:6001
LOAD CAPACITY:40KG
ITEM#:P70046

PR1MO PW-110

PATTERN:P142
SIZE (INCH/MM): 12.5"X1.25"/305X41MM
B-B (MM): 33.5MM WITH BRAKE LEFT
BEARING:6001
LOAD CAPACITY:40KG
ITEM#:P70047

PR1MO PW-120

PATTERN:P142
SIZE (INCH/MM): 12.5"X1.25"/305X41MM
B-B (MM): 33.5MM WITH BRAKE RIGHT
BEARING:6001
LOAD CAPACITY:40KG
ITEM#:P70053

PR1MO PW-200

PATTERN:P142
SIZE (INCH/MM): 11"X2"/284X38.5MM
B-B (MM): 49.2MM
BEARING:R8
LOAD CAPACITY:40KG
ITEM#:P70126

PR1MO PW-200

PATTERN:P173
SIZE (INCH/MM): 16"X2.125"/414X50MM
B-B (MM): 49.2MM
BEARING:R8
LOAD CAPACITY:45KG
ITEM#:P70085

PR1MO PW-300 SERIES

NAME	PATTERN	SIZE(INCH/MM)	B-B (MM)	BEARING	LOAD CAPACITY	ITEM #
PW-310	P173	20X1 3/8(516-50)	50.5	R8	50KG	P20001
PW-320	P173	22X1 3/8(567-50)	50.5	R8	50KG	P22003
PW-320	P173	24X1 3/8(608-50)	50.9	R8	50KG	P24006

SW-100 SERIES



Handrim with rivnuts

Back

Front

NAME	PATTERN	SPECIFICATION	HUB LENGTH (MM)	BEARING I.D (MM)	B-B (MM)	LOAD CAPACITY	SPOKE QTY	ITEM #
SW-110	P173	20X1 3/8"(37-451)	70MM	12.7(R8-2RS)	47.8	50KG	30	P20003
SW-120	P173	22X1 3/8"(37-501)	70MM	12.7(R8-2RS)	47.8	50KG	30	P22004
SW-120	P173	24X1 3/8"(37-540)	70MM	12.7(R8-2RS)	47.8	50KG	30	P24007

PU, Pneumatic tire and PU insert tires can be assembled as Clients' request.

SW-200 SERIES



Handrim with tabs



Back



Front

NAME	PATTERN	SPECIFICATION	HUB LENGTH (MM)	BEARING I.D (MM)	B-B (MM)	LOAD CAPACITY	SPOKE QTY	ITEM #
SW-210	NA	24X1 3/8"(37-540)	63MM	12.7(R8-2RS)	52.32	50KG	36	24003
SW-220	NA	25X1 3/8"(37-559)	63MM	12.7(R8-2RS)	52.32	50KG	36	25002
SW-220	NA	26X1 3/8"(37-590)	63MM	12.7(R8-2RS)	52.32	50KG	36	26008

PU, Pneumatic tire and PU insert tires can be assembled as Clients' request.



CASTER WHEELS

PR1MO HPR-110

PATTERN: P110
OUTER DIAMETER (INCH/MM): 4"/102MM
TIRE WIDTH (INCH/MM): 1"/19.5MM
B-B (MM): 25.4MM
BEARING: Ø8(608)
LOAD CAPACITY: 20KG
ITEM#: P70118

PR1MO HPR-120

PATTERN: P120
OUTER DIAMETER (INCH/MM): 4"/109MM
TIRE WIDTH (INCH/MM): 1.5"/29.5MM
B-B (MM): 25.4MM
BEARING: Ø8(608)
LOAD CAPACITY: 20KG
ITEM#: P70119

PR1MO HPR-130

PATTERN: P100
OUTER DIAMETER (INCH/MM): 5"/123.52MM
TIRE WIDTH (INCH/MM): 1"/25.5MM
B-B (MM): 25.4MM
BEARING: Ø8(608)
LOAD CAPACITY: 20KG
ITEM#: P70120

PR1MO HPR-140

PATTERN: P110
OUTER DIAMETER (INCH/MM): 5"/123.5MM
TIRE WIDTH (INCH/MM): 1"/25.5MM
B-B (MM): 25.4MM
BEARING: Ø8(608)
LOAD CAPACITY: 20KG
ITEM#: P70132

PR1MO HPR-150

PATTERN: P120
OUTER DIAMETER (INCH/MM): 5"/126.5MM
TIRE WIDTH (INCH/MM): 1.5"/37MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY: 20KG
ITEM#: P70121

PR1MO HPR-160

PATTERN: P102
OUTER DIAMETER (INCH/MM): 6"/144.5MM
TIRE WIDTH (INCH/MM): 1/(25.5MM
B-B (MM): 25.4MM
BEARING: Ø8(608)
LOAD CAPACITY: 20KG
ITEM#: P70122

PR1MO HPR-170

PATTERN:P110
OUTER DIAMETER (INCH/MM): 6"/146.5MM
TIRE WIDTH (INCH/MM): 1"/25.4MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70131

PR1MO HPR-180

PATTERN:P120
OUTER DIAMETER (INCH/MM): 6"/146.5MM
TIRE WIDTH (INCH/MM): 1.5"/37MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70123

PR1MO HPR-190

PATTERN:P120
OUTER DIAMETER (INCH/MM): 7"/175MM
TIRE WIDTH (INCH/MM): 1"/29MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70150

PR1MO HPR-200

PATTERN:P110
OUTER DIAMETER (INCH/MM): 8"/198MM
TIRE WIDTH (INCH/MM): 1"/28MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70124

PR1MO HPR-210

PATTERN:P120
OUTER DIAMETER (INCH/MM): 8"/186MM
TIRE WIDTH (INCH/MM): 1.5"/38MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70125

PR1MO 2PPW-110

PATTERN:P112
OUTER DIAMETER (INCH/MM): 6"/146MM
TIRE WIDTH (INCH/MM): 2"/47MM
B-B (MM): 64MM
BEARING:Ø8(638C2RS100)
LOAD CAPACITY:20KG
ITEM#:P70127

PR1MO 2PPW-120

PATTERN:P142
OUTER DIAMETER (INCH/MM): 8"/191MM
TIRE WIDTH (INCH/MM): 2"/4755MM
B-B (MM): 64MM
BEARING:Ø8(608-C2005)
LOAD CAPACITY:20KG
ITEM#:P70128

PR1MO HPW-110

PATTERN:P110
OUTER DIAMETER (INCH/MM): 4"/105MM
TIRE WIDTH (INCH/MM): 1"/19.5MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70092

PR1MO HPW-120

PATTERN:P120
OUTER DIAMETER (INCH/MM): 4"/109MM
TIRE WIDTH (INCH/MM): 1.5"/29.5MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70093

PR1MO HPW-130

PATTERN:P110
OUTER DIAMETER (INCH/MM): 4"/104MM
TIRE WIDTH (INCH/MM): 1.5"/34MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70135

PR1MO HPW-140

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/123.5MM
TIRE WIDTH (INCH/MM): 1"/24.5MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70094

PR1MO HPW-150

PATTERN:P120
OUTER DIAMETER (INCH/MM): 5"/123.5MM
TIRE WIDTH (INCH/MM): 1.5"/33.5MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70095

PR1MO HPW-160

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/125MM
TIRE WIDTH (INCH/MM): 1.5"/35MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70136

PR1MO HPW-170

PATTERN:P120
OUTER DIAMETER (INCH/MM): 6"/146.5MM
TIRE WIDTH (INCH/MM): 1.5"/37MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70143

PR1MO SPW-110

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/125MM
TIRE WIDTH (INCH/MM): 1"/26MM
B-B (MM): 32 MM ADJUSTABLE
BEARING:Ø10(6000)
LOAD CAPACITY:20KG
ITEM#:P70058

PR1MO SPW-120

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/140MM
TIRE WIDTH (INCH/MM): 1.5"/38MM
B-B (MM): 40 MM ADJUSTABLE
BEARING:Ø10(6000)
LOAD CAPACITY:20KG
ITEM#:P70059

PR1MO SPW-130

PATTERN:P110
OUTER DIAMETER (INCH/MM): 6"/152MM
TIRE WIDTH (INCH/MM): 1"/26MM
B-B (MM): 32 MM ADJUSTABLE
BEARING:Ø10(6000)
LOAD CAPACITY:20KG
ITEM#:P70060

PR1MO SPW-140

PATTERN:P110
OUTER DIAMETER (INCH/MM): 7"/175MM
TIRE WIDTH (INCH/MM): 1"/26MM
B-B (MM): 32 MM ADJUSTABLE
BEARING:Ø10(6000)
LOAD CAPACITY:20KG
ITEM#:P70061

PR1MO SPW-150

PATTERN:P110
OUTER DIAMETER (INCH/MM): 8"/200MM
TIRE WIDTH (INCH/MM): 1.77"/45MM
B-B (MM): 52 MM ADJUSTABLE
BEARING:Ø10(6000)
LOAD CAPACITY:20KG
ITEM#:P70062

PR1MO 1PAW-110

PATTERN:P110
OUTER DIAMETER (INCH/MM): 3"/79MM
TIRE WIDTH (INCH/MM): 1"/25MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70104

PR1MO 1PAW-120

PATTERN:P120
OUTER DIAMETER (INCH/MM): 3"/78MM
TIRE WIDTH (INCH/MM): 1.5"/34.5MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70103

PR1MO 1PAW-130

PATTERN:P110
OUTER DIAMETER (INCH/MM): 4"/104MM
TIRE WIDTH (INCH/MM): 1"/25.5MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70037

PR1MO 1PAW-140

PATTERN:P110
OUTER DIAMETER (INCH/MM): 4"/103.4MM
TIRE WIDTH (INCH/MM): 1.5"/33.4MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70038

PR1MO 1PAW-150

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/124.5MM
TIRE WIDTH (INCH/MM): 1"/26MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70075

PR1MO 1PAW-160

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/125MM
TIRE WIDTH (INCH/MM): 1.5"/35MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70076

PR1MO 1PAW-170

PATTERN:P110
OUTER DIAMETER (INCH/MM): 6"/149MM
TIRE WIDTH (INCH/MM): 1"/25.5MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70077

PR1MO 1PAW-180

PATTERN:P110
OUTER DIAMETER (INCH/MM): 6"/149.5MM
TIRE WIDTH (INCH/MM): 1.5"/33MM
B-B (MM): 25.8MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70078

PR1MO 2PAW-110

PATTERN:P110
OUTER DIAMETER (INCH/MM): 4"/104MM
TIRE WIDTH (INCH/MM): 1"/25.4MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70025

PR1MO 2PAW-120

PATTERN:P120
OUTER DIAMETER (INCH/MM): 4"/104MM
TIRE WIDTH (INCH/MM): 1.5"/35MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70026

PR1MO 2PAW-130

PATTERN:P110
OUTER DIAMETER (INCH/MM): 5"/124.5MM
TIRE WIDTH (INCH/MM): 1"/25.4MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70027

PR1MO 2PAW-140

PATTERN:P120
OUTER DIAMETER (INCH/MM): 5"/124.5MM
TIRE WIDTH (INCH/MM): 1.5"/35MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70028

PR1MO 2PAW-150

PATTERN:P110
OUTER DIAMETER (INCH/MM): 6"/146.5MM
TIRE WIDTH (INCH/MM): 1"/25.4MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70029

PR1MO 2PAW-160

PATTERN:P120
OUTER DIAMETER (INCH/MM): 6"/146.5MM
TIRE WIDTH (INCH/MM): 1.5"/35MM
B-B (MM): 25.4MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P70030

PR1MO MLW-110

OUTER DIAMETER (INCH/MM): 3"/76MM
TIRE WIDTH (INCH/MM): 1"/24MM
B-B (MM): 24.5MM
BEARING:Ø8(608)
LOAD CAPACITY:18KG
ITEM#:LP03001

PR1MO MLW-120

OUTER DIAMETER (INCH/MM): 4"/100MM
TIRE WIDTH (INCH/MM): 1"/24MM
B-B (MM): 24.5MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:LP04001

PR1MO MLW-130

OUTER DIAMETER (INCH/MM): 5"/120MM
TIRE WIDTH (INCH/MM): 1"/24MM
B-B (MM): 24.5MM
BEARING:Ø8(608)
LOAD CAPACITY:25KG
ITEM#:LP05001

PR1MO MCW-110

OUTER DIAMETER (INCH/MM): 3"/76MM
TIRE WIDTH (INCH/MM): 1"/24MM
B-B (MM): 24.5MM
BEARING:Ø8(608)
LOAD CAPACITY:18KG
ITEM#:P03002

PR1MO MCW-120

OUTER DIAMETER (INCH/MM): 4"/100MM
TIRE WIDTH (INCH/MM): 1"/24MM
B-B (MM): 24.5MM
BEARING:Ø8(608)
LOAD CAPACITY:20KG
ITEM#:P04002

HUBS

HK-100 SERIES
HUB with keyway



NAME	A (MM)	B (MM)	C (MM)	D (MM)	COLOR	ITEM #
HK-110	70MM	Ø17.05	6MM	69MM	BLACK	MC79R-3F
HK-120	70MM	Ø19.10	4.77MM	70MM	BLACK	MC50R-3F
HK-130	70MM	Ø20.00	5MM	38MM	BLACK	MC415R-3F
HK-140	71.37MM	Ø17.02	6MM	45.20MM	BLACK	MC518R-3F
HK-150	71.37MM	Ø19.05	4.77MM	51.30MM	BLACK	MC84R-3F
HK-160	88.90M	Ø19.10	4.78MM	70MM	BLACK	MC80R-3F

HBS-100 SERIES
HUB with bearing seat



NAME	A (MM)	B (MM)	C (MM)	COLOR	ITEM #
HBS-110	70MM	Ø34.91(499205H)	70.10MM	BLACK	MC06F-3F
HBS-120	70MM	Ø34.99(6202)	31.75MM	BLACK	MC25F-3F
HBS-130	71.37MM	Ø34.99(6202)	76.20MM	BLACK	MC85F-3F
HBS-140	88.90MM	Ø34.91(499205H)	47.50MM	BLACK	MC42F-3F

HBK-110
HUB with brake and keyway

A (MM): 89.5MM
B (MM): 17.05MM
C (INCH/MM): 5.05MM
COLOR: BLACK
PART#: MC404R-3F



HPH-100 SERIES
HUB with pin hole



NAME	A (MM)	B (MM)	C (MM)	D (MM)	COLOR	ITEM #
HPH-110	70MM	Ø19.05	6.35MM	54.90MM	WHITE	MC07F-1F
HPH-120	70MM	Ø19.05	6.35MM	56.10MM	WHITE	MC08F-1F
HPH-130	70MM	Ø19.05	6.35MM	66MM	WHITE	MC09F-1F

HMW-110

HUB LENGTH: 70MM
B-B: 47.8MM
BEARING INNER DIAMETER: 12.7MM
BEARING SPECIFICATION: R8-2RS
HOLE QTY: 30
PART#: MC04-30B

HMW-120

HUB LENGTH: 66MM
B-B: 50.8MM
BEARING INNER DIAMETER: 12.7MM
BEARING SPECIFICATION: R8-2RS
HOLE QTY: 30
PART#: MC05-30B

HMW-130

HUB LENGTH: 59MM
B-B: 48MM
BEARING INNER DIAMETER: 12MM
BEARING SPECIFICATION: 6001-2RS
HOLE QTY: 36
PART#: MC09-36S

HMW-140

HUB LENGTH: 64.3MM
B-B: 46MM
BEARING INNER DIAMETER: 12MM
BEARING SPECIFICATION: 6001-2RS
HOLE QTY: 36
PART#: MC12-36

HMW-150

HUB LENGTH: 63MM
B-B: 52.3MM
BEARING INNER DIAMETER: 12.7MM
BEARING SPECIFICATION: R8-2RS
HOLE QTY: 36
PART#: MC14-36B

HMW-160

HUB LENGTH: 70MM
B-B: 47.8MM
BEARING INNER DIAMETER: 12.7MM
BEARING SPECIFICATION: R8-2RS
HOLE QTY: 30
PART#: MC15-30B

ACCESSOREIS

SBL-110
Single brake lever

+ PUSH TO BRAKE FUNCTION
+ SPRING-LOADED

COLOR: BLACK
L: 45MM
ITEM#: RIGHT WL80006 / LEFT WL80005



ABL-110
Single bended brake lever

+ PUSH TO BRAKE FUNCTION

COLOR: BLACK
L: 52MM
ITEM#: RIGHTWL80008 / LEFT WL80007



ABL-120
Single brake lever

+ PULL TO BRAKE FUNCTION
+ SPRING-LOADED

COLOR: BLACK
L: 60MM
ITEM#: RIGHT WL80051 / LEFT WL80050



ABL-130
Single brake lever

+ PUSH TO BRAKE FUNCTION

COLOR: BLACK
L: 41MM
ITEM#: RIGHT WL80030 / LEFT WL80031



ABL-140
Single brake lever

+ PULL TO BRAKE FUNCTION

COLOR: BLACK
L: 41MM
ITEM#: RIGHT WL80032 / LEFT WL80033



ABL-150
Single brake lever

+ PUSH TO BRAKE FUNCTION

COLOR: BLACK
L: 41MM
ITEM#: RIGHT WL80040 / LEFT WL80041

ABL-160
Single brake lever

+ PULL TO BRAKE FUNCTION

COLOR: BLACK
L: 41MM
ITEM#: RIGHT WL80046 / LEFT WL80047



AMC-110
Complete mounting clamp

+ FITTING BRAKE ON TUBE - Ø19/Ø25 MM

COLOR: BLACK
ITEM#: CP80025



DB-110

A OUTTER DIAMETER: 88.9MM
B INNER DIAMETER: 20MM
COLOR: BLACK
ITEM#: 71001



DB-120

A OUTTER DIAMETER: 69.7MM
B INNER DIAMETER: 12MM
COLOR: BLACK
ITEM#: 71002



HRR
Handrim with rivnuts

RIVNUT: 6PCS, M5



SILVER GREY

A (MM)	WELD (INCH)	COLOR	ITEM #
373MM	18"	SILVER	HR180101
426MM	20"	SILVER	HR200103
476MM	22"	SILVER	HR220105
515MM	24"	GREY	HR240104
534MM	25"	GREY	HR250104
565MM	26"	GREY	HR260104

HRT
Handrim with tabs

TABS: 6





A (MM)	WELD (INCH)	COLOR	ITEM #
423MM	20"	BLACK	HR2006-3
473MM	22"	BLACK	HR2206-3
511MM	24"	BLACK	HR2406-3
531MM	25"	BLACK	HR2506-3
538MM	25"	BLACK	HR2510-3
562MM	26"	BLACK	HR2606-3

HRSC
Handrim with silicon cover



PERIMETER MM	WELD (INCH)	COLOR	ITEM #
1300MM	20"	BLACK	HRC2001
1460MM	22"	BLACK	HRC2201
1580MM	24"	BLACK	HRC2401
1620MM	25"	BLACK	HRC2501
1710MM	26"	BLACK	HRC2601

HRPVC
Handrim with PVC coating

TABS: 6





A (MM)	WELD (INCH)	COLOR	ITEM #
511MM	24"	BLACK	HR240201
531MM	25"	BLACK	HR250201
562MM	26"	BLACK	HR260201



QR1-SERIES

NAME	OD (MM)	L (MM)	L3 (MM)	BUTTON COLOR	ITEM #
QR1-110	12.7MM	89MM	12MM	BLACK ALLOY	QR127021
QR1-120	12.7MM	98MM	12MM	BLACK ALLOY	QR127022
QR1-130	12.7MM	104MM	12MM	BLACK ALLOY	QR127020

NAME	OD (MM)	L (MM)	L3 (MM)	BUTTON COLOR	ITEM #
QR6-110	15.8MM	109MM	19MM	BLACK ALLOY	QR158011

NAME	OD (MM)	L (MM)	L3 (MM)	BUTTON COLOR	ITEM #
QR4-110	12.7MM	105	17.8MM	BLACK ALLOY	QR127005
QR4-120	12.7MM	122	17.8MM	BLACK ALLOY	QR127006

NAME	OD (MM)	L (MM)	L3 (MM)	BUTTON COLOR	ITEM #
QR3-110	12.7MM	115	16.7MM	BLACK ALLOY	QR127015
QR3-120	12.7MM	122	16.7MM	BLACK ALLOY	QR127016

NAME	OD (MM)	L (MM)	L3 (MM)	BUTTON COLOR	ITEM #
QR5-110	12.7MM	104	16.7MM	BLACK ALLOY	QR127001
QR5-120	12.7MM	107	16.7MM	BLACK ALLOY	QR127002
QR5-130	12.7MM	115	16.7MM	BLACK ALLOY	QR127003
QR5-140	12.7MM	115	16.7MM	POLISHED ALLOY	QR127004

NAME	OD (MM)	L (MM)	L3 (MM)	BUTTON COLOR	ITEM #
QR2-110	12.7MM	89	17MM	BLACK ALLOY	QR127018
QR2-120	12.7MM	98	17MM	BLACK ALLOY	QR127019
QR2-130	12.7MM	104	17MM	BLACK ALLOY	QR127027
QR2-140	12.7MM	108	17MM	BLACK ALLOY	QR127026
QR2-150	12.7MM	116.5	17MM	BLACK ALLOY	QR127025
QR2-160	12.7MM	122	17MM	BLACK ALLOY	QR127024
QR2-170	12.7MM	131	17MM	BLACK ALLOY	QR127023



A (MM)	B (MM)	C (MM)	D (MM)/ TYPE	CAP	ITEM #
16	5	5	5(1)	PLASTIC CAP	625-2RS
21	12	5	5(1)	STEEL CAP	6801-ZZ
22	10	6	6(1)	STEEL CAP	6900-ZZ
22	8	7	10(3)	PLASTIC CAP	608-2RSNON-STANDARD
22	8	7	7(1)	STEEL CAP	608-ZZ
22	8	7	7(1)	PLASTIC CAP	608-2RS
22	8	7	7(1)	ONE SIDE STEEL CAP,THE OTHER SIDE PLASTIC CAPE	608-2MSS
22	8	7	7(1)	CERAMIC BALL,ONE SIDE GOLDEN COLOR STEEL CAP,THE OTHER SIDE RED PLASTIC CAP	608-CE-ZR
22	8	7	9(2)	STEEL CAP	608-C2005
22	8	7	9(2)	PLASTIC CAP	608C2RS300
22.225	9.525	7.142	7.142(1)	PLASTIC CAP	R6-2RS
22.225	9.525	7.144	7.144(1)	STEEL CAP	R6ZZ
23.019	11.112	7.938	7.938(1)	PLASTIC CAP	1607-2RS
24	12	6	6(1)	PLASTIC CAP	6901-2RS
26	10	8	8(1)	PLASTIC CAP	6000-2RS
28	12	8	8(1)	PLASTIC CAP	6001-2RS
28	15	7	7(1)	PLASTIC CAP	6902-2RS
28	8	9	11(2)	PLASTIC CAP	638C2RS100
28	9.525	8	8(1)	PLASTIC CAP	6001-2RS 3/8HOLE
28.575	12.7	7.938	7.938(1)	PLASTIC CAP	R8-2RS
28.575	12.7	7.938	7.938(1)	CERAMIC BALL,ONE SIDE GOLDEN COLOR STEEL CAP,THE OTHER SIDE RED PLASTIC CAP	R8CE-ZR
28.575	15.875	7.938	7.938(1)	PLASTIC CAP	R8-5/8"-2RS
30	17	7	7(1)	PLASTIC CAP	6903-2RS
32	12	10	10(1)	PLASTIC CAP	6201-2RS
32	12	10	10(1)	STEEL CAP	6201-ZZ
32	15	9	9(1)	PLASTIC CAP	6002-2RS
34.925	15.875	11.112	11.112(1)	PLASTIC CAP	1623-2RS
34.925	15.875	11	11(1)	PLASTIC CAP/SNAP RING	499502HNR
34.925	15.875	11	11(1)	PLASTIC CAP	499502H
35	12.7	9.3	13.3(3)	STEEL CAP	FG12138
35	15	11	11(1)	PLASTIC CAP	6202-2RS
35	15	11	11(1)	STEEL CAP	6202-ZZ
35	15	11	11(1)	PLASTIC CAP/SNAP RING	6202-2RS-NR
35	15.875	11	11(1)	PLASTIC CAP	6202-2RS 15.875HOLE
35	17	10	10(1)	STEEL CAP	6003ZZ
35	19.05	11.25	11.25(1)	PLASTIC CAP	SB3534RS
35	19.1	8.8	13.25(1)	STEEL CAP	FG34138
37	20	9	9(1)	PLASTIC CAP	6904-2RS
41.275	19.05	11.113	11.113(1)	STEEL CAP	R12ZZ
42	20	12	12(1)	PLASTIC CAP	6004-2RS

BUSHING

WB-110
Bushing

OUTER DIAMETER: M18*1
INNER DIAMTER: 12MM
LENGTH: 51MM
ITEM#: BS120001

WB-130
Bushing

OUTER DIAMETER: M18*1
INNER DIAMTER: 12MMX15MM
LENGTH: 60MM
ITEM#: BS120002

WB-120
Bushing

OUTER DIAMETER: M18*1
INNER DIAMTER: 12.7MM
LENGTH: 51MM
ITEM#: BS127001

WB-140
Bushing

OUTER DIAMETER (INCH/MM): 3/4"/16MM
INNER DIAMTER: 12.7MM
LENGTH: 53.2MM
WAF (MM): HEX 17
ITEM#: BS127010

FORKS

FK-110
Fork

FORK EFFECTIVE HEIGHT: 106.84MM
STEM OUTER DIAMETER: 12MM
BOLT#: M12
FORK EFFECTIVE WIDTH: 40MM
BEARING: 2X6001
ITEM#: FR440002

FK-210
Fork

FORK EFFECTIVE HEIGHT: 90.16MM
STEM OUTER DIAMETER: 12MM
BOLT#: M12
FORK EFFECTIVE WIDTH: 44.5MM
BEARING: 2X6001
ITEM#: FR445001

FK-310
Fork

FORK EFFECTIVE HEIGHT: 56.2MM
STEM OUTER DIAMETER: 12.8MM
BOLT#: 1/2-20
FORK EFFECTIVE WIDTH: 38.3MM
BEARING: 2X6001
ITEM#: FR383003

FK-410
Fork

FORK EFFECTIVE HEIGHT: 92.4MM
STEM OUTER DIAMETER: 12MM
BOLT#: M12
BEARING: 2X6001
ITEM#: LEFT FR110005 / RIGHT FR110006

FK-320
Fork

FORK EFFECTIVE HEIGHT: 68.8MM
STEM OUTER DIAMETER: 12MM
BOLT#: 1/2-20
FORK EFFECTIVE WIDTH: 38.3MM
BEARING: 2X6001
ITEM#: FR383004

FK-420
Fork

FORK EFFECTIVE HEIGHT: 115.6MM
STEM OUTER DIAMETER: 12MM
BOLT#: M12
BEARING: 2X6001
ITEM#: LEFT FR110007 / RIGHT FR110008

FK-510
Fork

FORK EFFECTIVE HEIGHT: 92.4MM
STEM OUTER DIAMETER: 12MM
BOLT#: M12
BEARING: 2X6001
ITEM#: LEFT FR110009 / RIGHT FR110010

FK-520
Fork

FORK EFFECTIVE HEIGHT: 115.6MM
STEM OUTER DIAMETER: 12MM
BOLT#: M12
BEARING: 2X6001
ITEM#: LEFT FR110011 / RIGHT FR110012

AR-110
Arm-rest with TPR insert

L: 318MM
B: 104MM
H: 30MM
D: 22.5MM
E: 61.5/4×M5
COLOR: BLACK
ITEM#: AR0003



CP-110
Calf pad

L: 170MM
B: 148MM
H: 20MM
E: 35/2×M5
COLOR: BLACK
ITEM#: LB0001



PRM-100 SERIES
Plastic Rim

+ EXACT EXTEND DIMENSION IS ACCORDING TO CLIENTS' REQUIREMENT



5 - SPOKES

7 - SPOKES

NAME	A(INCH/MM)	B (MM)	C (MM)	D (MM)	E (MM)	F (MM)	COLOR	ITEM #
PRM-110	4"(86)	18	32	26(6000-2RS)	53	8	BLACK	D10457R-3
PRM-120	4"(93)	30	40	26(6000-2RS)	45	8	BLACK	D10458F-3
PRM-130	5"(112)	18	32	26(6000-2RS)	45	8	BLACK	D10559F-3
PRM-140	5"(112)	32	52	26(6000-2RS)	58.5	8	BLACK	D10561F-3
PRM-150	6"(139)	18	32	26(6000-2RS)	45	8	BLACK	D10660F-3

PRM-200 SERIES
Plastic Rim



D11254F-3

D11255R-3

NAME	A(INCH/MM)	B (MM)	C (MM)	D (MM)	E (MM)	F (MM)	G (MM)	COLOR	ITEM #
PRM-210	9"(203)	27	37.5	26(6000-2RS)	NA	10	NA	BLACK	D11254F-3
PRM-220	9"(203)	27	33.5	26(6000-2RS)	NA	10	70.45	BLACK	D11255R-3

PRM-300 SERIES
Plastic Rim



NAME	A(INCH/MM)	B (MM)	C (MM)	D (MM)	F (MM)	COLOR	ITEM #
PRM-310	4"(93)	32	62.5	22(608-C2005)	8	BLACK	D-20500
PRM-320	4"(93)	32	63	22(6900-ZZ)	10	BLACK	D-20500-GT
PRM-330	4"(93)	33	62.5	22(638-2RS100)	8	BLACK	D-20500-638
PRM-340	4"(93)	27	55.6	22(608-ZZ)	8	BLACK	D-20506

PRM-400 SERIES
Plastic Rim



NAME	A(INCH/MM)	B (MM)	C (MM)	D (MM)	F (MM)	G (MM)	COLOR	ITEM #
PRM-410	88	33	60	22(608-ZZ)	10	8	BLACK	D10348F-3

ARM-100 SERIES
Aluminum Rim

NAME	A	B (MM)	B-B (MM)	D (MM)	COLOR	ITEM #
ARM-110	4"(101)	28.3MM	NA	NA	BLACK	A402-3
ARM-120	5"(126)	37MM	NA	NA	BLACK	A502-3
ARM-130	6"(153.8)	41.7MM	NA	NA	BLACK	A602-3

ARM-200 SERIES
Aluminum Rim

NAME	A	B (MM)	B-B (MM)	D (MM)	COLOR	ITEM #
ARM-210	4"/93MM	31.6MM	61.8MM	8(608)	BLACK	A202-3
ARM-220	4"/93MM	27.5MM	49.3MM	12(6901)	BLACK	A202-3EM

ARM-310
Aluminum Rim

A (INCH/MM): 4"/101MM
B (MM): 29MM
COLOR: BLACK
ITEM#: A401R6-3



ARM-410
Aluminum Rim

A (INCH/MM): 5"/126MM
B (MM): 34.8MM
COLOR: BLACK
ITEM#: A503-3



ARM-510
Aluminum Rim

A (INCH/MM): 8"/202.5MM
B (MM): 45.7MM
COLOR: BLACK
ITEM#: A83PR-3

ARM-610
Aluminum Rim

A (INCH/MM): 8"/202.5MM
B (MM): 50.8MM
COLOR: BLACK
ITEM#: A84PR

ARM-710
Aluminum Rim

A (INCH/MM): 8"/202.5MM
B (MM): 32MM
COLOR: BLACK
ITEM#: A86PM-3S

ARM-810
Aluminum Rim

A (INCH/MM): 8"/202.5MM
B (MM): 43MM
COLOR: BLACK
ITEM#: A87PM-3

SRM-100 SERIES
Steel Rim

STEEL RIM



NAME	A (INCH/MM)	B (MM)	C (MM)	COLOR	ITEM #
SRM-110	4"/93MM	32.16MM	59.13MM	BLACK	M8200B5-3
SRM-120	4"/93)MM	31.76MM	63.75MM	BLACK	M4125B2-3
SRM-130	4"/93MM	31.76MM	63.75MM	BLACK	M4175B2-3
SRM-140	4"/101MM	57.20MM	70MM	BLACK	M4225B4-3
SRM-150	4"/101MM	69.86MM	70MM	BLACK	M4275B4-3
SRM-160	5"/125.6MM	61.64MM	71.37MM	BLACK	M5250B4-3
SRM-170	6"/150.8MM	114.30MM	88.9MM	BLACK	M6450B4-3

SKF
608-2RS

608-2RS
SKF



DARE TO CHALLENGE

Cramer 1474, Capital Federal (1426) - Buenos Aires - Argentina
4553.8288 / 4551.7557 / 4554.1236
www.outlandish.com.ar

XIAMEN LENCO CO., LTD.
PHONE: +86 592- 6887200
FAX: +86 592- 6887210
ADDRESS: NO.1 HOUXIANG XI ROAD HAICANG XIAMEN, CHINA